



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*Reports of States and yearly and monthly reports of cities.*

CALIFORNIA—*Los Angeles*.—Month of April, 1898. Estimated population, 103,000. Total deaths, 158, including phthisis pulmonalis, 32; enteric fever, 4, and diphtheria, 3.

*Oakland*.—Month of April, 1898. Estimated population, 75,000. Total deaths, 75, including phthisis pulmonalis, 12, and diphtheria, 2.

*Sacramento*.—Month of April, 1898. Estimated population, 30,000. Total deaths, 54, including phthisis pulmonalis, 5; enteric fever, 3, and diphtheria, 1.

*San Diego*.—Month of April, 1898. Estimated population, 22,000. Total deaths, 16. No deaths from contagious diseases.

COLORADO—*Colorado Springs*.—Month of April, 1898. Estimated population, 22,000. Total deaths, 24, including 8 from phthisis pulmonalis.

CONNECTICUT.—Month of April, 1898. Reports to the State board of health from 167 towns having an aggregate population of 881,992 show a total of 1,197 deaths, including phthisis pulmonalis, 147; enteric fever, 3; scarlet fever, 2; diphtheria and croup, 26; measles, 9, and whooping cough, 11.

MARYLAND—*Cumberland*.—Month of April, 1898. Estimated population, 12,729. Total deaths, 13, including phthisis pulmonalis, 1; enteric fever, 1, and diphtheria, 2.

MASSACHUSETTS—*Fitchburg*.—Month of April, 1898. Estimated population, 28,392. Total deaths, 38, including phthisis pulmonalis, 5; enteric fever, 1, and whooping cough, 1.

MICHIGAN.—Week ended May 7, 1898. Reports to the State board of health from 67 observers indicate that intermittent fever and remittent fever increased, and that measles decreased in area of prevalence. Phthisis pulmonalis was reported present during the week at 151 places; measles at 64, scarlet fever at 25, diphtheria at 18, enteric fever at 15, and whooping cough at 14 places.

MINNESOTA—*St. Paul*.—Month of April, 1898. Estimated population, 215,582. Total deaths, 116, including phthisis pulmonalis, 23; enteric fever, 3; scarlet fever, 2; diphtheria, 3, and measles, 9.

*Winona*.—Month of April, 1898. Estimated population, 22,000. Total deaths, 15, including 3 from phthisis pulmonalis.

NEW HAMPSHIRE—*Concord*.—Month of April, 1898.—Estimated population, 18,000. Total deaths, 23, including 1 from phthisis pulmonalis.

NEW YORK—*Auburn*.—Month of April, 1898. Estimated population, 30,000. Total deaths, 37, including 5 from phthisis pulmonalis.

*Buffalo*.—Month of April, 1898. Estimated population, 360,000. Total deaths, 401, including phthisis pulmonalis, 44; enteric fever, 7; diphtheria, 5; scarlet fever, 1, and whooping cough, 1.

OHIO—*Cleveland*.—Month of April, 1898. Estimated population, 370,000. Total deaths, 443, including phthisis pulmonalis, 22; enteric fever, 5; measles, 2; diphtheria, 8, and whooping cough, 1.

*Columbus*.—Month of April, 1898. Estimated population, 135,000. Total deaths, 171, including phthisis pulmonalis, 23; enteric fever, 2; measles, 7, and whooping cough, 2.

PENNSYLVANIA—*Williamsport*.—Month of April, 1898. Estimated population, 35,000. Total deaths, 20, including phthisis pulmonalis, 1, and enteric fever, 1.

TENNESSEE—*Nashville*.—Month of April, 1898. Estimated population, white, 54,595; colored, 33,159; total, 87,754. Deaths, white, 55; colored, 65; total, 120, including phthisis pulmonalis, 16, and measles, 1.

UTAH—*Salt Lake City*.—Estimated population, 70,000. Total deaths, 48, including phthisis pulmonalis, 3; enteric fever, 1; diphtheria, 1; measles, 2, and whooping cough, 1.

WASHINGTON—*Seattle*.—Month of April, 1898. Estimated population, 70,000. Total deaths, 62, including phthisis pulmonalis, 2; enteric fever, 2; diphtheria, 3, and measles, 1.